ELSEVIER

Brain Research 815 (1999) 441–443

BRAIN RESEARCH

Author Index

Adachi, A., Suzuki, Y., Nogi, T. and Ebihara, S.
The relationship between ocular melatonin and dopamine rhythms in the pigeon: effects of melatonin inhibition on dopamine release (815) 435
Akaike, A., see Kaneda, K. (815) 11
Aloisi, A.M., see Ceccarelli, I. (815) 169
Aminoff, M.J., see Kutukcu, Y. (815) 367
Armand, V., see Gutiérrez, R. (815) 294
Arnolda, L.F., see Solomon, S.G. (815) 116
Avignone, E., see Rosati, A.M. (815) 185
Avila, J., see Ramón-Cueto, A. (815) 213

Babini, E., see Ottolia, M. (815) 410
Badoer, E., see Maiorov, D.N. (815) 227
Barnea, A., Roberts, J. and Ho, R.H.
Evidence for a synergistic effect of the HIV-1 envelope protein gp120 and brain-derived neurotrophic factor (BDNF) leading to enhanced expression of somatostatin neurons in aggregate cultures derived from the human fetal cortex (815) 349
Basavarajappa, B.S. and Hungund, B.L.
Down-regulation of cannabinoid receptor agonist-stimulated [^{35}S]GTPγS binding in synaptic plasma membrane from chronic ethanol exposed mouse (815) 89
Basile, A., see Segal, J.A. (815) 270
Benavides, J., see Lacor, P. (815) 70
Bishop, K.M. and Wahlsten, D.
Sex and species differences in mouse and rat forebrain commissures depend on the method of adjusting for brain size (815) 358
Bodnar, R.J., see Shane, R. (815) 278
Bos, N.P.A., see Schaap, J. (815) 154
Bradley, J. and Sporns, O.
BDNF-dependent enhancement of exocytosis in cultured cortical neurons requires translation but not transcription (815) 140
Brault, E., see Lacor, P. (815) 70
Breier, A., see Elman, I. (815) 243

Caramia, M.D., see Palmieri, M.G. (815) 192
Casamenti, F., see Ceccarelli, I. (815) 169
Cattaneo, A., see Rosati, A.M. (815) 185
Ceccarelli, I., Casamenti, F., Massafra, C., Pepeu, G., Scali, C. and Aloisi, A.M.
Effects of novelty and pain on behavior and hippocampal extracellular ACh levels in male and female rats (815) 169
Chalmers, J.P., see Solomon, S.G. (815) 116
Chen, Y., see Rong, W. (815) 51
Cherubini, E., see Rosati, A.M. (815) 185
Chesler, M., see Tong, C.-K. (815) 373
Cleary, J., see O'Hare, E. (815) 1

Dalibert, I., see Lacor, P. (815) 70
Dami, S., see Rossi, A. (815) 106
Decchi, B., see Rossi, A. (815) 106
De Jeu, M.T.G., see Schaap, J. (815) 154
Della Volpe, R., see Rossi, A. (815) 106
Del Soldato, P., see Hauss-Wegrzyniak, B. (815) 36
Desiato, M.T., see Palmieri, M.G. (815) 192
Donnerer, J., see Schicho, R. (815) 60
Dufour, F., Nalecz, K.A., Nalecz, M.J. and Nehlig, A.
Modulation of pentylenetetrazol-induced seizure activity by branched-chain amino acids and α-ketoisocaproate (815) 400
Duncan Jr., W.C., Johnson, K.A. and Wehr, T.A.
5-HT agonist-induced phase-advances of the circadian pacemaker are diminished by chronic antidepressant drug treatment (815) 126
Dunn, A.J., see Wang, J. (815) 337

Ebihara, S., see Adachi, A. (815) 435
Elman, I., Sokoloff, L., M. Adler, C., Weisenfeld, N. and Breier, A.
The effects of pharmacological doses of 2-deoxyglucose on cerebral blood flow in healthy volunteers (815) 243
Ennis, S.R., see Keep, R.F. (815) 200

Faingold, C.L. and Randall, M.E.
Neurons in the deep layers of superior colliculus play a critical role in the neuronal network for audiogenic seizures: mechanisms for production of wild running behavior (815) 250
Farkas-Szallasi, T., see Szallasi, A. (815) 177
Fathollahi, Y., see Mansouri, F.A. (815) 419
Fernandes, C. and File, S.E.
Dizocilpine does not prevent the development of tolerance to the anxiolytic effects of diazepam in rats (815) 431
Ferzaz, B., see Lacor, P. (815) 70
File, S.E., see Fernandes, C. (815) 431
Finke, M.P., see O'Hare, E. (815) 1
Flaishon, R., Halpern, P., Sorkine, P., Weinbroum, A., Leschiner, S., Szold, O., Rudick, V. and Gavish, M.
Cross-sensitivity between isoflurane and diazepam: evidence from a bidirectional tolerance study in mice (815) 287
Folger, S.E., see Kelly, E.F. (815) 326
Fowler, J.C., Partridge, L.D. and Gervitz, L.
Hydroxylamine blocks adenosine A_1 receptor-mediated inhibition of synaptic transmission in rat hippocampus (815) 414
Frye, C.A. and Vongher, J.M.
Progesterone has rapid and membrane effects in the facilitation of female mouse sexual behavior (815) 259

Gandolfo, P., see Lacor, P. (815) 70
Gavish, M., see Flaishon, R. (815) 287
Gazzotti, P., see Ottolia, M. (815) 410
Gerst, J.L., see McShea, A. (815) 237
Gervitz, L., see Fowler, J.C. (815) 414
Geurtsen, A.M.S., see Schaap, J. (815) 154
Ghilardi, J.R., see O'Hare, E. (815) 1
Glezer, I.I., Toporovsky, I.M., Lima, V. and Yablonsky-Alter, E.
Cocaine adversely affects development of cortical embryonic neurons in vitro: immunocytochemical study of calcium-binding proteins (815) 389
Goodin, D.S., see Kutukcu, Y. (815) 367
Groccia, V., see Rossi, A. (815) 106
Guarnieri, E., see Rosati, A.M. (815) 185
Guidetti, P., see Poeggeler, B. (815) 382
Gutiérrez, R. and Heinemann, U.
Synaptic reorganization in explanted cultures of rat hippocampus (815) 304
Gutiérrez, R., Armand, V., Schuchmann, S. and Heinemann, U.
Epileptiform activity induced by low Mg^{2+} in cultured rat hippocampal slices (815) 294

Halpern, P., see Flaishon, R. (815) 287
Hardeland, R., see Poeggeler, B. (815) 382
Harris, B.D., see Segal, J.A. (815) 270
Hauss-Wegrzyniak, B., Willard, L.B., Del Soldato, P., Pepeu, G. and Wenk, G.L.
Peripheral administration of novel anti-inflammatories can attenuate the effects of chronic inflammation within the CNS (815) 36
Head, G.A., see Maiorov, D.N. (815) 227
Heinemann, U., see Gutiérrez, R. (815) 294
Heinemann, U., see Gutiérrez, R. (815) 304
Hideyuki Funato, see Shimojo, M. (815) 131
Ho, R.H., see Barnea, A. (815) 349
Hodgkins, P.S., see Poeggeler, B. (815) 382
Hökfelt, T., see Szallasi, A. (815) 177
Honda, Y., see Kaneda, K. (815) 11
Hungund, B.L., see Basavarajappa, B.S. (815) 89

Iani, C., see Palmieri, M.G. (815) 192
Ito, E., see Ito, I. (815) 121
Ito, I., Kimura, T., Suzuki, H., Sekiguchi, T. and Ito, E.
Effects of electrical stimulation of the tentacular digits of a slug upon the frequency of electrical oscillations in the procerebral lobe (815) 121
Iwata, S.-i., see Kaseda, S. (815) 44

Jelinski, S.E., Yager, J.Y. and Juurlink, B.H.J.
Preferential injury of oligodendroblasts by a short hypoxic–ischemic insult (815) 150
Johnson, K.A., see Duncan Jr., W.C. (815) 126
Juurlink, B.H.J., see Jelinski, S.E. (815) 150

Kamei, J., see Ohsawa, M. (815) 424
Kaneda, K., Kashii, S., Kurosawa, T., Kaneko, S., Akaike, A., Honda, Y., Minami, M. and Satoh, M.
Apoptotic DNA fragmentation and upregulation of Bax induced by transient ischemia of the rat retina (815) 11
Kaneko, S., see Kaneda, K. (815) 11
Kaseda, S., Nomoto, M. and Iwata, S.-i.
Effect of selegiline on dopamine concentration in the striatum of a primate (815) 44
Kashii, S., see Kaneda, K. (815) 11
Keep, R.F., Ulanski II, L.J., Xiang, J., Ennis, S.R. and Lorris Betz, A.
Blood–brain barrier mechanisms involved in brain calcium and potassium homeostasis (815) 200
Kelly, E.F. and Folger, S.E.
EEG evidence of stimulus-directed response dynamics in human somatosensory cortex (815) 326
Kimura, T., see Ito, I. (815) 121
Kitahara, T., Takeda, N., Kubo, T. and Kiyama, H.
Nitric oxide in the flocculus works the inhibitory neural circuits after unilateral labyrinthectomy (815) 405
Kiyama, H., see Kitahara, T. (815) 405
Kobayashi, T., see Zinchuk, V.S. (815) 111
Koch, M., see Schauz, C. (815) 98
Kohsaka, S., see Shimojo, M. (815) 131
Krause, J.E., see Szallasi, A. (815) 177
Kubo, T., see Kitahara, T. (815) 405
Kurosawa, T., see Kaneda, K. (815) 11
Kuskowski, M.A., see O'Hare, E. (815) 1
Kustova, Y., see Segal, J.A. (815) 270
Kutukcu, Y., Marks Jr., W.J., Goodin, D.S. and Aminoff, M.J.
Simple and choice reaction time in Parkinson's disease (815) 367

Lacor, P., Gandolfo, P., Tonon, M.-C., Brault, E., Dalibert, I., Schumacher, M., Benavides, J. and Ferzaz, B.
Regulation of the expression of peripheral benzodiazepine receptors and their endogenous ligands during rat sciatic nerve degeneration and regeneration: a role for PBR in neurosteroidogenesis (815) 70
Leschiner, S., see Flaishon, R. (815) 287
Li, X., Wallin, C., Weber, S.G. and Sandberg, M.
Net efflux of cysteine, glutathione and related metabolites from rat hippocampal slices during oxygen/glucose deprivation: dependence on γ-glutamyl transpeptidase (815) 81
Lima, V., see Glezer, I.I. (815) 389
Llewellyn-Smith, I.J., see Solomon, S.G. (815) 116
Loberti, M., see Palmieri, M.G. (815) 192
Lorris Betz, A., see Keep, R.F. (815) 200
Lundberg, J.M., see Szallasi, A. (815) 177

M. Adler, C., see Elman, I. (815) 243
Maggio, J.E., see O'Hare, E. (815) 1
Maiorov, D.N., Wilton, E.R., Badoer, E., Petrie, D., Head, G.A. and Malpas, S.C.
Sympathetic response to stimulation of the pontine A5 region in conscious rabbits (815) 227
Malpas, S.C., see Maiorov, D.N. (815) 227
Mansouri, F.A., Motamedi, F. and Fathollahi, Y.
Chronic in vivo morphine administration facilitates primed-bursts-induced long-term potentiation of Schaffer collateral–CA1 synapses in hippocampal slices in vitro (815) 419
Mantyh, P.W., see O'Hare, E. (815) 1
Marks, G.A., Roffwarg, H.P. and Shaffery, J.P.
Neuronal activity in the lateral geniculate nucleus associated with ponto-geniculo-occipital waves lacks lamina specificity (815) 21
Marks Jr., W.J., see Kutukcu, Y. (815) 367
Massafra, C., see Ceccarelli, I. (815) 169
McShea, A., Zelasko, D.A., Gerst, J.L. and Smith, M.A.
Signal transduction abnormalities in Alzheimer's disease: evidence of a pathogenic stimuli (815) 237
Meijer, J.H., see Schaap, J. (815) 154
Miller, J.M., see Yamasoba, T. (815) 317
Minami, M., see Kaneda, K. (815) 11
Minson, J.B., see Solomon, S.G. (815) 116
Mochizuki, H., see Shimojo, M. (815) 131
Molander, C., see Shortland, P. (815) 206
Motamedi, F., see Mansouri, F.A. (815) 419

Nalecz, K.A., see Dufour, F. (815) 400
Nalecz, M.J., see Dufour, F. (815) 400
Nehlig, A., see Dufour, F. (815) 400
Nogi, T., see Adachi, A. (815) 435
Nomoto, M., see Kaseda, S. (815) 44

O'Hare, E., Weldon, D.T., Mantyh, P.W., Ghilardi, J.R., Finke, M.P., Kuskowski, M.A., Maggio, J.E., Shephard, R.A. and Cleary, J.
Delayed behavioral effects following intrahippocampal injection of aggregated $A\beta_{(1-42)}$ (815) 1
Ohsawa, M. and Kamei, J.
Role of intracellular calcium on the modulation of naloxone-precipitated withdrawal jumping in morphine-dependent mice by diabetes (815) 424
Okada, T., see Zinchuk, V.S. (815) 111
Ottolia, M., Babini, E., Gazzotti, P., Possani, L.D. and Prestipino, G.
Reconstitution of a voltage and calcium dependent potassium channel from rat cerebellum (815) 410

Palmieri, M.G., Iani, C., Scalise, A., Desiato, M.T., Loberti, M., Telera, S. and Caramia, M.D.
The effect of benzodiazepines and flumazenil on motor cortical excitability in the human brain (815) 192
Pappolla, M.A., see Poeggeler, B. (815) 382
Partridge, L.D., see Fowler, J.C. (815) 414
Pennartz, C.M.A., see Schaap, J. (815) 154
Pepeu, G., see Ceccarelli, I. (815) 169
Pepeu, G., see Hauss-Wegrzyniak, B. (815) 36
Petrie, D., see Maiorov, D.N. (815) 227
Pilowsky, P.M., see Solomon, S.G. (815) 116
Poeggeler, B., Pappolla, M.A., Hardeland, R., Rassoulpour, A., Hodgkins, P.S., Guidetti, P. and Schwarcz, R.
Indole-3-propionate: a potent hydroxyl radical scavenger in rat brain (815) 382
Possani, L.D., see Ottolia, M. (815) 410
Prestipino, G., see Ottolia, M. (815) 410

Ramón-Cueto, A. and Avila, J.
Two modes of microtubule-associated protein 1B phosphorylation are differentially regulated during peripheral nerve regeneration (815) 213
Randall, M.E., see Faingold, C.L. (815) 250
Rassoulpour, A., see Poeggeler, B. (815) 382
Roberts, J., see Barnea, A. (815) 349
Roffwarg, H.P., see Marks, G.A. (815) 21
Rong, W., Wang, W., Yuan, W. and Chen, Y.
Rapid effects of corticosterone on cardiovascular neurons in the rostral ventrolateral medulla of rats (815) 51
Rosati, A.M., Guarnieri, E., Avignone, E., Cherubini, E., Cattaneo, A. and Traversa, U.
Increased density of M1 receptors in the hippocampus of juvenile rats chronically deprived of NGF (815) 185
Rossi, A., Decchi, B., Dami, S., Della Volpe, R. and Groccia, V.
On the effect of chemically activated fine muscle afferents on interneurones mediating group I non-reciprocal inhibition of extensor ankle and knee muscles in humans (815) 106
Rudick, V., see Flaishon, R. (815) 287

Sandberg, M., see Li, X. (815) 81
Satoh, M., see Kaneda, K. (815) 11
Scali, C., see Ceccarelli, I. (815) 169
Scalise, A., see Palmieri, M.G. (815) 192
Schaap, J., Bos, N.P.A., De Jeu, M.T.G., Geurtsen, A.M.S., Meijer, J.H. and Pennartz, C.M.A.
Neurons of the rat suprachiasmatic nucleus show a circadian rhythm in membrane properties that is lost during prolonged whole-cell recording (815) 154
Schacht, J., see Yamasoba, T. (815) 317

Schauz, C. and Koch, M.
Lesions of the nucleus basalis magnocellularis do not impair prepulse inhibition and latent inhibition of fear-potentiated startle in the rat (815) 98
Schicho, R., Skofitsch, G. and Donnerer, J.
Regenerative effect of human recombinant NGF on capsaicin-lesioned sensory neurons in the adult rat (815) 60
Schuchmann, S., see Gutiérrez, R. (815) 294
Schumacher, M., see Lacor, P. (815) 70
Schwarcz, R., see Poeggeler, B. (815) 382
Segal, J.A., Harris, B.D., Kustova, Y., Basile, A. and Skolnick, P.
Aminoglycoside neurotoxicity involves NMDA receptor activation (815) 270
Seguchi, H., see Zinchuk, V.S. (815) 111
Sekiguchi, T., see Ito, I. (815) 121
Shaffery, J.P., see Marks, G.A. (815) 21
Shane, R., Wilk, S. and Bodnar, R.J.
Modulation of endomorphin-2-induced analgesia by dipeptidyl peptidase IV (815) 278
Shephard, R.A., see O'Hare, E. (815) 1
Shimojo, M., Takasugi, K., Yamamoto, I., Hideyuki Funato, Mochizuki, H. and Kohsaka, S.
Neuroprotective action of a novel compound–M50463–in primary cultured neurons (815) 131
Shoji, F., see Yamasoba, T. (815) 317
Shortland, P., Wang, H.F. and Molander, C.
Distribution of transganglionically labelled soybean agglutinin primary afferent fibres after nerve injury (815) 206
Skofitsch, G., see Schicho, R. (815) 60
Skolnick, P., see Segal, J.A. (815) 270
Smith, M.A., see McShea, A. (815) 237
Sokoloff, L., see Elman, I. (815) 243
Solomon, S.G., Llewellyn-Smith, I.J., Minson, J.B., Arnolda, L.F., Chalmers, J.P. and Pilowsky, P.M.
Neurokinin-1 receptors and spinal cord control of blood pressure in spontaneously hypertensive rats (815) 116
Sorkine, P., see Flaishon, R. (815) 287
Sporns, O., see Bradley, J. (815) 140
Sun, F.-Y., see Yin, K.-J. (815) 29
Suzuki, H., see Ito, I. (815) 121
Suzuki, Y., see Adachi, A. (815) 435
Szallasi, A., Farkas-Szallasi, T., Tucker, J.B., Lundberg, J.M., Hökfelt, T. and Krause, J.E.
Effects of systemic resiniferatoxin treatment on substance P mRNA in rat dorsal root ganglia and substance P receptor mRNA in the spinal dorsal horn (815) 177
Szold, O., see Flaishon, R. (815) 287

Takasugi, K., see Shimojo, M. (815) 131
Takeda, N., see Kitahara, T. (815) 405
Telera, S., see Palmieri, M.G. (815) 192
Tong, C.-K. and Chesler, M.
Activity-evoked extracellular pH shifts in slices of rat dorsal lateral geniculate nucleus (815) 373
Tonon, M.-C., see Lacor, P. (815) 70
Toporovsky, I.M., see Glezer, I.I. (815) 389
Traversa, U., see Rosati, A.M. (815) 185
Tucker, J.B., see Szallasi, A. (815) 177

Ulanski II, L.J., see Keep, R.F. (815) 200

Vongher, J.M., see Frye, C.A. (815) 259

Wahlsten, D., see Bishop, K.M. (815) 358
Wallin, C., see Li, X. (815) 81
Wang, H.F., see Shortland, P. (815) 206
Wang, J. and Dunn, A.J.
The role of interleukin-6 in the activation of the hypothalamo-pituitary-adrenocortical axis and brain indoleamines by endotoxin and interleukin-1β (815) 337
Wang, W., see Rong, W. (815) 51
Weber, S.G., see Li, X. (815) 81
Wehr, T.A., see Duncan Jr., W.C. (815) 126
Weinbroum, A., see Flaishon, R. (815) 287
Weisenfeld, N., see Elman, I. (815) 243
Weldon, D.T., see O'Hare, E. (815) 1
Wenk, G.L., see Hauss-Wegrzyniak, B. (815) 36
Wilk, S., see Shane, R. (815) 278
Willard, L.B., see Hauss-Wegrzyniak, B. (815) 36
Wilton, E.R., see Maiorov, D.N. (815) 227

Xiang, J., see Keep, R.F. (815) 200

Yablonsky-Alter, E., see Glezer, I.I. (815) 389
Yager, J.Y., see Jelinski, S.E. (815) 150
Yamamoto, I., see Shimojo, M. (815) 131
Yamasoba, T., Schacht, J., Shoji, F. and Miller, J.M.
Attenuation of cochlear damage from noise trauma by an iron chelator, a free radical scavenger and glial cell line-derived neurotrophic factor in vivo (815) 317
Yin, K.-J. and Sun, F.-Y.
Effect of dextromethorphan, a NMDA antagonist, on DNA repair in rat photochemical thrombotic cerebral ischemia (815) 29
Yuan, W., see Rong, W. (815) 51

Zelasko, D.A., see McShea, A. (815) 237
Zinchuk, V.S., Okada, T., Kobayashi, T. and Seguchi, H.
Ecto-ATPase activity in cerebellum: implication to the function of synaptic transmission (815) 111